



WoRMS Taxon list

<http://www.marinespecies.org/aphia.php?p=taxlist>

405 matching records, showing records 1-100.

[Rissoa Fremenville](#) in Desmarest, 1814
[Rissoa aartseni](#) Verduin, 1985
[Rissoa aberrans](#) C. B. Adams, 1850 accepted as [Stosicia aberrans](#) (C. B. Adams, 1850)
[Rissoa albella](#) Lovén, 1846 accepted as [Pusillina sarsii](#) (Lovén, 1846)
[Rissoa albella](#) Alder, 1844 accepted as [Rissoella diaphana](#) (Alder, 1848)
[Rissoa albella rufilabrum](#) Alder accepted as [Rissoa lilacina](#) Récluz, 1843
[Rissoa albugo](#) Watson, 1873
[Rissoa alifera](#) Thiele, 1925 accepted as [Hoplopteron alifera](#) (Thiele, 1925)
[Rissoa alleryi](#) (Nordsieck, 1972)
[Rissoa angustior](#) (Monterosato, 1917)
[Rissoa atomus](#) E. A. Smith, 1890
[Rissoa auriformis](#) Pallary, 1904
[Rissoa auriscalpium](#) (Linnaeus, 1758)
[Rissoa basispiralis](#) Grant-Mackie & Chapman-Smith, 1971 † accepted as [Diala semistriata](#) (Philippi, 1849)
[Rissoa boscii](#) (Payraudeau, 1826) accepted as [Melanella polita](#) (Linnaeus, 1758)
[Rissoa calathus](#) Forbes & Hanley, 1850 accepted as [Alvania beanii](#) (Hanley in Thorpe, 1844)
[Rissoa cerithinum](#) Philippi, 1849 accepted as [Cerithidium cerithinum](#) (Philippi, 1849)
[Rissoa coriacea](#) Manzoni, 1868 accepted as [Talassia coriacea](#) (Manzoni, 1868)
[Rissoa coronata](#) Scacchi, 1844 accepted as [Opalia hellenica](#) (Forbes, 1844)
[Rissoa costata](#) (J. Adams, 1796) accepted as [Manzonia crassa](#) (Kanmacher, 1798)
[Rissoa costulata](#) Alder, 1844 accepted as [Rissoa guerinii](#) Récluz, 1843
[Rissoa crasscostata](#) C. B. Adams, 1845 accepted as [Opalia hotessieriana](#) (d'Orbigny, 1842)
[Rissoa cruzi](#) Castellanos & Fernández, 1974 accepted as [Alvania cruzi](#) (Castellanos & Fernández, 1974)
[Rissoa cumingii](#) Reeve, 1849 accepted as [Rissoina striata](#) (Quoy & Gaimard, 1833)
[Rissoa curta](#) Dall, 1927
[Rissoa decorata](#) Philippi, 1846
[Rissoa deformis](#) G.B. Sowerby I, 1833
[Rissoa diaphana](#) Alder, 1848 accepted as [Rissoella diaphana](#) (Alder, 1848)
[Rissoa elegantissima](#) d'Orbigny, 1842 accepted as [Rissoina elegantissima](#) (d'Orbigny, 1842)
[Rissoa eulimoides](#) (C.B. Adams, 1850) accepted as [Melanella eulimoides](#) (C. B. Adams, 1850)
[Rissoa euxinica](#) Milashevich, 1909
[Rissoa excavata](#) Philippi, 1836 accepted as [Chrysallida excavata](#) (Philippi, 1836)
[Rissoa finckhi](#) Hedley, 1899 accepted as [Chrystella finckhi](#) (Hedley, 1899)
[Rissoa flammulata](#) Hutton, 1878 accepted as [Eatoniella huttoni](#) (Pilsbry, 1888)
[Rissoa frauenfeldiana](#) Brusina, 1868

Rissoa gemmula Fischer P. in de Folin, 1869
Rissoa gigantea Deshayes, 1848 accepted as *Rissoina gigantea* (Deshayes, 1848)
Rissoa gomerica (Nordsieck & Talavera, 1979)
Rissoa gracilis Pease, 1860 accepted as *Pyramidelloides angustus* (Hedley, 1898)
Rissoa guerinii Récluz, 1843
Rissoa guernei Dautzenberg, 1889
Rissoa inconspicua Alder, 1844 accepted as *Pusillina inconspicua* (Alder, 1844)
Rissoa infrequens C. B. Adams, 1852 accepted as *Opalia infrequens* (C. B. Adams, 1852)
Rissoa integella Hedley, 1904 accepted as *Attenuata integella* (Hedley, 1904)
Rissoa interrupta (J. Adams, 1800) accepted as *Rissoa parva* (da Costa, 1778)
Rissoa italiensis Verduin, 1985
Rissoa janusi (Nordsieck, 1972)
Rissoa labiosa (Montagu, 1803) accepted as *Rissoa membranacea* (J. Adams, 1800)
Rissoa lia (Monterosato, 1884)
Rissoa lilacina Récluz, 1843
Rissoa lilacina porifera accepted as *Rissoa lilacina* Récluz, 1843
Rissoa lilacina rhodhensis accepted as *Rissoa rodhensis* Verduin, 1985
Rissoa lilacina rufilabrum accepted as *Rissoa lilacina* Récluz, 1843
Rissoa lineolata Michaud, 1830 accepted as *Pusillina lineolata* (Michaud, 1832)
Rissoa maccoyi Tenison-Woods, 1876 accepted as *Rissopsetia maccoyi* (Tenison-Woods, 1876)
Rissoa membranacea (J. Adams, 1800)
Rissoa membranacea var. *cornea* (Lovén, 1846) accepted as *Rissoa membranacea* (J. Adams, 1800)
Rissoa membranacea var. *gracilis* (Forbes & Hanley, 1850) accepted as *Rissoa membranacea* (J. Adams, 1800)
Rissoa membranacea var. *labiosa* (Montagu, 1803) accepted as *Rissoa membranacea* (J. Adams, 1800)
Rissoa membranacea var. *octona* auct. non Linnaeus, 1767 accepted as *Rissoa membranacea* (J. Adams, 1800)
Rissoa mirabilis Manzoni, 1868
Rissoa miranda A. Adams, 1861 accepted as *Pyramidelloides mirandus* (A. Adams, 1861)
Rissoa monodonta Philippi, 1836
Rissoa multicincta (Smriglio & Mariottini, 1995)
Rissoa multicostata (Nordsieck & Talavera, 1979)
Rissoa ordinaria E. A. Smith, 1890
Rissoa panhormensis Verduin, 1985
Rissoa paradoxa (Monterosato, 1884)
Rissoa parva (da Costa, 1778)
Rissoa parva var. *interrupta* (J. Adams, 1800) accepted as *Rissoa parva* (da Costa, 1778)
Rissoa petronella Melvill & Standen, 1901 accepted as *Merelina petronella* (Melvill & Standen, 1901)
Rissoa plicata Hutton, 1873 accepted as *Merelina maoriana* Powell, 1939
Rissoa pompholyx Dall, 1927
Rissoa porifera (Lovén, 1843)
Rissoa pseudoguerini (Nordsieck & Talavera, 1979)
Rissoa punctatostrata Tenison Woods, 1879 accepted as *Leucotina casta* (A. Adams, 1853)
Rissoa reticulata G.B. Sowerby I, 1833
Rissoa rodhensis Verduin, 1985
Rissoa rufilabris Alder, 1844 accepted as *Rissoa lilacina* Récluz, 1843
Rissoa sarsii Lovén, 1846 accepted as *Pusillina sarsii* (Lovén, 1846)
Rissoa scurra (Monterosato, 1917)
Rissoa semistriata Philippi, 1849 accepted as *Diala semistriata* (Philippi, 1849)
Rissoa similis Scacchi, 1836
Rissoa sinuosa Scacchi, 1836 accepted as *Melanella sinuosa* (Scacchi, 1836)
Rissoa spirata G.B. Sowerby I, 1833
Rissoa splendida Eichwald, 1830
Rissoa stefanisi Jeffreys, 1869 accepted as *Chrysallida stefanisi* (Jeffreys, 1869)
Rissoa striata Quoy & Gaimard, 1833 accepted as *Rissoina striata* (Quoy & Gaimard, 1833)
Rissoa subangulata C.B. Adams, 1850 accepted as *Schwartziella bryerea* (Montagu, 1803)

[Rissoa subcostulata](#) Schwartz, 1864 accepted as [Rissoa guerinii](#) Récluz, 1843
[Rissoa syngenes](#) (A. E. Verrill, 1884) accepted as [Alvania syngenes](#) (A. E. Verrill, 1884)
[Rissoa toroensis](#) Olsson & McGinty, 1958 accepted as [Mumiola gradatula](#) (Mörch, 1876)
[Rissoa torquilla](#) Pallary, 1912
[Rissoa variabilis](#) (Von Mühlfeldt, 1824)
[Rissoa ventricosa](#) Desmarest, 1814
[Rissoa verdensis](#) Rolán & Oliveira, 2008

Pages: [1](#) [2](#) [3](#) [4](#) [5](#) · [>](#)

Website and databases developed and hosted by [VLIZ](#) · Page generated 2012-01-15 · contact: info@marinespecies.org

[Amathia rissoana](#) Roux, 1828 accepted as [Anamathia rissoana](#) (Roux, 1828)
[Amphirissoa](#) Dautzenberg & Fischer, 1897
[Amphirissoa cyclostomoides](#) Dautzenberg & Fischer H., 1897
[Anamathia rissoana](#) (Roux, 1828)
[Brachyenteron rissoanum](#) Bray & Campbell, 1995
[Calappa rissoana](#) Pastore, 1995 accepted as [Calappa rosea](#) Jarocki, 1825
[Caligus rissoanus](#) Milne Edwards, 1840 accepted as [Caligus elongatus](#) von Nordmann, 1832
[Calliopaea rissoana](#) Milne-Edwards, 1842
[Clavelina rissoana](#) Milne-Edwards, 1841 accepted as [Clavelina lepadiformis](#) (Müller, 1776)
[Cymopolia rissoana](#) De Haan, 1844 accepted as [Palicus caronii](#) (Roux, 1828)
[Delphinus rissoanus](#) Desmarest, 1822 accepted as [Grampus griseus](#) (G. Cuvier, 1812)
[Dorippe rissoana](#) Desmarest, 1817 accepted as [Dorippe quadridens](#) (Fabricius, 1793)
[Gibborissoa](#) Cossmann, in Sacco, 1899
[Gibborissoa mirabilis](#) (Philippi, 1849)
[Gibborissoa virgata](#) (Philippi, 1849)
[Grampus rissoanus](#) Murie, 1871 accepted as [Grampus griseus](#) (G. Cuvier, 1812)
[Hypnea rissoana](#) J.Agardh, 1842 accepted as [Hypnea musciformis](#) (Wulfen) J.V.Lamouroux, 1813
[Microstoma rissoanum](#) Sarato, 1888 accepted as [Nansenia oblita](#) (Facciola, 1887)
[Notacanthus rissoanus](#) De Filippi & Verany, 1857 accepted as [Polyacanthonotus rissoanus](#) (De Filippi & Verany, 1857)
[Ovirissoa](#) Hedley, 1916
[Ovirissoa adarensis](#) (Smith, 1902)
[Pereionotus rissoanus](#) Bate, 1862 accepted as [Pereionotus testudo](#) (Montagu, 1808)
[Polyacanthonotus rissoanus](#) (De Filippi & Verany, 1857)

Rissoacea accepted as Rissooidea
 Rochinia rissoana (Roux, 1828)

WoRMS Taxon list

405 matching records, showing records 101-200.

Rissoa verdensis Rolán & Oliveira, 2008
Rissoa vicina Milashevich, 1909
Rissoa violacea Desmarest, 1814
Rissoa violacea violacea
Rissoa xanthias Watson, 1886 accepted as *Benthonellania xanthias* (Watson, 1886)
Rissoacea accepted as Rissoidae
Rissoella J. Agardh, 1849
Rissoella Gray, 1847
Rissoella alaskensis (Bartsch, 1907)
Rissoella aliciae Espinosa & Ortea, 2009
Rissoella ameliae Ortea & Espinosa, 2005
Rissoella anguliferens (de Folin, 1870)
Rissoella bakeri Strong, 1938 accepted as *Elachisina bakeri* (Strong, 1938)
Rissoella belkisiae Ortea & Espinosa, 2005
Rissoella bifasciata (Carpenter, 1857)
Rissoella californica Bartsch, 1927 accepted as *Elachisina grippi* Dall, 1918
Rissoella caribaea Rehder, 1943
Rissoella conica (de Folin & Périer, 1870)
Rissoella contrerasi Rolán & Hernández, 2004
Rissoella dali Ortea, Espinosa & Magana, 2004
Rissoella diana Ortea & Espinosa, 2005
Rissoella diaphana (Alder, 1848)
Rissoella dubia Golikov & Gulbin, 1978
Rissoella duperrei (Vélain, 1877)
Rissoella elephantina Golikov & Gulbin, 1978
Rissoella elsae Ortea & Espinosa, 2005
Rissoella excolpa Bartsch, 1920 accepted as *Elachisina grippi* Dall, 1918
Rissoella florum Ortea & Espinosa, 2005
Rissoella galba Robertson, 1961
Rissoella gandocaensis Ortea & Espinosa, 2001
Rissoella globularis (Forbes & Hanley, 1853)
Rissoella hertleini Smith & Gordon, 1948
Rissoella himba Rolán & Peñas, 2009
Rissoella inflata (Monterosato, 1880)
Rissoella johnstoni Baker, Hanna & Strong, 1930 accepted as *Elachisina johnstoni* (Baker, Hanna & Strong, 1930)
Rissoella luteonigra Rolán & Rubio, 2001
Rissoella morrocoyensis Caballer, Ortea & Narciso, 2011
Rissoella notabilis (Thiele, 1912)
Rissoella opalina (Jeffreys, 1848)
Rissoella ornata Simone, 1995
Rissoella paupercula (C.B. Adams, 1852)
Rissoella powelli Ponder, 1983
Rissoella taniae Ortea & Espinosa, 2005
Rissoella trigoi Rolán & Hernández, 2004
Rissoella tumens (Carpenter, 1857)
Rissoella venezolanicola Caballer, Ortea & Narciso, 2011
Rissoella verruculosa (Bertoloni) J. Agardh, 1848
Rissoella zaidae Ortea & Espinosa, 2005
Rissoellaceae

Rissoellidae

Rissoelloidea

Rissoia Bronn, 1848 accepted as *Rissoa* Freminville in Desmarest, 1814

Rissoia cingillus (Montagu) accepted as *Cingula cingillus* (Montagu, 1803)

Rissoia devecta Tate, 1877 accepted as *Merelina gracilis* (Angas, 1877)

Rissoia edgariana Melvill & Standen, 1907

Rissoia insignificans Strebel, 1908

Rissoia scotiana Melvill & Standen, 1907

Rissoia sulcata Strebel, 1908

Rissoidae

Rissoidea accepted as Rissooidea

Rissoides Manning & Lewinsohn, 1982

Rissoides africanus (Manning, 1974)

Rissoides barnardi (Manning, 1975)

Rissoides calypso (Manning, 1974)

Rissoides desmaresti (Risso, 1816)

Rissoides pallidus (Giesbrecht, 1910)

Rissoina d'Orbigny, 1840

Rissoina (Ailinzebina) Ladd, 1966 represented as *Rissoina* d'Orbigny, 1840

Rissoina (Ailinzebina) abrardi (Ladd, 1966) represented as *Rissoina abrardi* (Ladd, 1966)

Rissoina (Ailinzebina) bilabiata Boettger, 1893 represented as *Rissoina bilabiata* Boettger, 1893

Rissoina (Ailinzebina) elegantissima (d'Orbigny, 1842) represented as *Rissoina elegantissima* (d'Orbigny, 1842)

Rissoina (Ailinzebina) onobiformis Rolán & Luque, 2000 represented as *Rissoina onobiformis* Rolán & Luque, 2000

Rissoina (Apataxia) Laseron, 1956 represented as *Rissoina* d'Orbigny, 1840

Rissoina (Apataxia) cerithiiformis Tryon, 1887 represented as *Rissoina cerithiiformis* Tryon, 1887

Rissoina (Moerchiella) G. Nevill, 1885 represented as *Rissoina* d'Orbigny, 1840

Rissoina (Moerchiella) antoni Schwartz, 1860 represented as *Rissoina antoni* Schwartz, 1860

Rissoina (Moerchiella) artensis Montrouzier, 1872 represented as *Rissoina artensis* Montrouzier, 1872

Rissoina (Moerchiella) dorbignyi A. Adams, 1851 represented as *Rissoina dorbignyi* A. Adams, 1851

Rissoina (Moerchiella) gigantea (Deshayes, 1848) represented as *Rissoina gigantea* (Deshayes, 1848)

Rissoina (Moerchiella) kilburni Sleurs, 1993 represented as *Rissoina kilburni* Sleurs, 1993

Rissoina (Moerchiella) okinawensis Sleurs, 1993 represented as *Rissoina okinawensis* Sleurs, 1993

Rissoina (Moerchiella) striata (Quoy & Gaimard, 1833) represented as *Rissoina striata* (Quoy & Gaimard, 1833)

Rissoina (Moerchiella) striolata A. Adams, 1851 represented as *Rissoina striolata* A. Adams, 1851

Rissoina (Pachyrissoina) O. Boettger, 1893 represented as *Rissoina* d'Orbigny, 1840

Rissoina (Pachyrissoina) percrassa G. Nevill & H. Nevill, 1874 represented as *Rissoina percrassa* G. Nevill & H. Nevill, 1874

Rissoina (Pachyrissoina) walkeri E.A. Smith, 1893 represented as *Rissoina walkeri* E.A. Smith, 1893

Rissoina (Pyramidelloides) G. Nevill, 1885 accepted as *Pyramidelloides* G. Nevill, 1885

Rissoina (Pyramidelloides) insolita Deshayes, 1863 accepted as *Pyramidelloides mirandus* (A. Adams, 1861)

Rissoina (Pyramidelloides) insolita var. deformis G. Nevill, 1885 accepted as *Pyramidelloides mirandus* (A. Adams, 1861)

Rissoina (Pyramidelloides) insolita var. depauperata G. Nevill, 1885 accepted as *Pyramidelloides mirandus* (A. Adams, 1861)

Rissoina (Pyramidelloides) insolita var. major G. Nevill, 1885 accepted as *Pyramidelloides mirandus* (A. Adams, 1861)

Rissoina (Rissoina) d'Orbigny, 1840 represented as *Rissoina* d'Orbigny, 1840

Rissoina (Rissoina) boucheti Sleurs, 1991 represented as *Rissoina boucheti* Sleurs, 1991

Rissoina (Rissoina) fratercula Sleurs & Preece, 1994 represented as *Rissoina fratercula* Sleurs & Preece, 1994

Rissoina (Rissoina) longispira Sleurs, 1991 represented as *Rissoina longispira* Sleurs, 1991

Rissoina (Rissoina) schubelae Sleurs & Preece, 1994 represented as *Rissoina schubelae* Sleurs & Preece, 1994
Rissoina abnormis G. Nevill & H. Nevill, 1875 accepted as *Stosicia abnormis* (G. Nevill & H. Nevill, 1875)
Rissoina abrardi (Ladd, 1966)
Rissoina adamsi Bartsch, 1915
Rissoina alarconi Hertlein & Strong, 1951
Rissoina allemani Bartsch, 1931

Pages: < · 1 **2** 3 4 5 · >

Website and databases developed and hosted by [VLIZ](#) · Page generated 2012-01-15 · contact: info@marinespecies.org

WoRMS Taxon list

405 matching records, showing records 201-300.

Rissoina allemani Bartsch, 1931
Rissoina ambigua (Gould, 1849)
Rissoina angeli Espinosa & Ortea, 2002
Rissoina angulata Jickeli, 1882 accepted as *Pyramidelloides angulata* (Jickeli, 1882)
Rissoina angusta Hedley, 1898 accepted as *Pyramidelloides angustus* (Hedley, 1898)
Rissoina annulata Dunker, 1859 accepted as *Stosicia annulata* (Dunker, 1859)
Rissoina antoni Schwartz, 1860
Rissoina antoni var. *pusilla* G. Nevill, 1884 accepted as *Rissoina antoni* Schwartz, 1860
Rissoina artensis Montrouzier, 1872
Rissoina aupouria Powell, 1937
Rissoina axelliana Hertlein & Strong, 1951
Rissoina baculumpastoris (Melvill & Standen, 1896) accepted as *Pyramidelloides baculumpastoris* (Melvill & Standen, 1896)
Rissoina bakeri Bartsch, 1915
Rissoina balteata Pease, 1869
Rissoina barthelowi Bartsch, 1915
Rissoina bellardii Issel, 1869 accepted as *Pyramidelloides mirandus* (A. Adams, 1861)
Rissoina bermudensis Peile, 1926 accepted as *Schwartziella bryerea* (Montagu, 1803)
Rissoina berryi Baker, Hanna & Strong, 1930 accepted as *Couthouyella menesthoides* (Carpenter, 1864)
Rissoina bertholleti Issel, 1869
Rissoina bilabiata Boettger, 1893
Rissoina boucheti Sleurs, 1991
Rissoina bougei Bavay, 1917 accepted as *Stosicia bougei* (Bavay, 1917)
Rissoina bouvieri Jousseau, 1894
Rissoina bruguieri (Payraudeau, 1826) accepted as *Rissoina bruguieri* (Payraudeau, 1826)
Rissoina bruguieri (Payraudeau, 1826)
Rissoina burragei Bartsch, 1915 accepted as *Schwartziella burragei* (Bartsch, 1915)
Rissoina caelata A. Adams, 1851 accepted as *Rissoina striata* (Quoy & Gaimard, 1833)
Rissoina californica Bartsch, 1915 accepted as *Schwartziella californica* (Bartsch, 1915)
Rissoina cancellata Philippi, 1847
Rissoina cancellina Rolán & Fernández-Garcés, 2010
Rissoina cerithiiformis Tryon, 1887
Rissoina chathamensis (Hutton, 1873)
Rissoina clandestina (C.B. Adams, 1852)
Rissoina clathrata A. Adams, 1851
Rissoina conica (C.B. Adams, 1850)
Rissoina costata A. Adams, 1851
Rissoina costulata Pease, 1867 accepted as *Rissoina cerithiiformis* Tryon, 1887
Rissoina cylindrica Bozzetti, 2009
Rissoina decipiens E.A. Smith, 1890 accepted as *Schwartziella bryerea* (Montagu, 1803)

@WRMarineSpecies

Rissoina decussata (Montagu, 1803)
Rissoina delicatissima Raines, 2002
Rissoina deshayesi Schwartz, 1860
Rissoina detrita Boettger, 1893 accepted as *Rissoina dorbignyi* A. Adams, 1851
Rissoina dimidiata Jickeli, 1882 accepted as *Rissoina dorbignyi* A. Adams, 1851
Rissoina dina Bartsch, 1915
Rissoina dorbignyi A. Adams, 1851
Rissoina dyscrita Faber, 1990
Rissoina efficata Brazier, 1877 accepted as *Rissoina antoni* Schwartz, 1860
Rissoina effusa Mörch, 1860 accepted as *Schwartziella effusa* (Mörch, 1860)
Rissoina elegantissima (d'Orbigny, 1842)
Rissoina ephamilla (Watson, 1886) accepted as *Schwartziella ephamilla* (Watson, 1886)
Rissoina ericana Hertlein & Strong, 1951
Rissoina erythraea Philippi, 1851
Rissoina eucosmia Bartsch, 1915 accepted as *Pyramidelloides mirandus* (A. Adams, 1861)
Rissoina excolpa Bartsch, 1915
Rissoina expansa Carpenter, 1865
Rissoina favilla Bartsch, 1915
Rissoina fenestrata Schwartz, 1860
Rissoina ferruginea (Hedley, 1904)
Rissoina fictor Finlay, 1930
Rissoina firmata (C.B. Adams, 1852) accepted as *Schwartziella firmata* (C.B. Adams, 1852)
Rissoina fortis (C.B. Adams, 1852)
Rissoina fratercula Sleurs & Preece, 1994
Rissoina fucosa Finlay, 1930
Rissoina funiculata Souverbie, 1866
Rissoina gemmulata Turton, 1932 accepted as *Pyramidelloides mirandus* (A. Adams, 1861)
Rissoina gigantea (Deshayes, 1848)
Rissoina gisna Bartsch, 1915
Rissoina gisna basilirata Baker, Hanna & Strong, 1930
Rissoina grandis Philippi, 1847
Rissoina harperi Dautzenberg & Bouge, 1933 accepted as *Rissoina cerithiiformis* Tryon, 1887
Rissoina harryleei Rolán & Fernández-Garcés, 2009
Rissoina hartmanni Jordan, 1935
Rissoina hedleyi Tate, 1899 accepted as *Stosicia hedleyi* (Tate, 1899)
Rissoina helena Bartsch, 1915
Rissoina histia Bartsch, 1915
Rissoina horrida Garrett, 1873 accepted as *Costabieta horrida* (Garrett, 1873)
Rissoina hummelincki Jong & Coomans, 1988
Rissoina hystrix Souverbie, 1877 accepted as *Pyramidelloides mirandus* (A. Adams, 1861)
Rissoina inca d'Orbigny, 1840
Rissoina indiscreta Leal & Moore, 1989
Rissoina insolita Deshayes, 1863 accepted as *Pyramidelloides mirandus* (A. Adams, 1861)
Rissoina io Bartsch, 1915
Rissoina jaffa Cotton, 1952
Rissoina janus (C.B. Adams, 1852)
Rissoina keenae Smith & Gordon, 1948
Rissoina kilburni Sleurs, 1993
Rissoina krebsii (Mörch, 1876)
Rissoina labrosa Schwartz, 1860
Rissoina laeta Preston, 1908 accepted as *Rissoina artensis* Montrouzier, 1872
Rissoina lamberti Souverbie, 1870 accepted as *Rissoina antoni* Schwartz, 1860
Rissoina lankaensis Preston, 1905 accepted as *Rissoina antoni* Schwartz, 1860
Rissoina lapazana Bartsch, 1915
Rissoina larochei Finlay, 1930
Rissoina laurae de Folin, 1870
Rissoina leucophanes Tomlin, 1931 accepted as *Schwartziella leucophanes* (Tomlin, 1931)
Rissoina lirata (Carpenter, 1857)
Rissoina longispira Sleurs, 1991
Rissoina lutaoui Chang & Wu, 2004
Rissoina mayori Dall, 1927
Rissoina mazatlanica Bartsch, 1915

WoRMS Taxon list

405 matching records, showing records 301-400.

Rissoina mazatlanica Bartsch, 1915
Rissoina melanelloides Baker, Hanna & Strong, 1930
Rissoina meteoris Gofas, 2007
Rissoina michaudi Desjardin, 1949 accepted as *Schwartziella bryerea* (Montagu, 1803)
Rissoina miltozona Tomlin, 1915 accepted as *Rissoina cerithiiformis* Tryon, 1887
Rissoina minutissima Tenison Woods, 1878 accepted as *Pseudorissoina perexiguus* (Tate & May, 1900)
Rissoina mirabilis Weinkauff, 1881 accepted as *Stosicia mirabilis* (Weinkauff, 1881)
Rissoina miranda (A. Adams, 1861) accepted as *Pyramidelloides mirandus* (A. Adams, 1861)
Rissoina montrouzieri Souverbie, 1862 accepted as *Rissoina dorbignyi* A. Adams, 1851
Rissoina montrouzieri var. *convexior* G. Nevill, 1884 accepted as *Rissoina dorbignyi* A. Adams, 1851
Rissoina montrouzieri var. *monstrosa* G. Nevill, 1884 accepted as *Rissoina dorbignyi* A. Adams, 1851
Rissoina montrouzieri var. *substriolata* G. Nevill, 1884 accepted as *Rissoina dorbignyi* A. Adams, 1851
Rissoina multicostata (C. B. Adams, 1850)
Rissoina myosoroides Récluz in Schwartz, 1864
Rissoina newcombei Dall, 1897 accepted as *Schwartziella newcombei* (Dall, 1897)
Rissoina nielsenii (Laseron, 1950)
Rissoina nivea A. Adams, 1853
Rissoina okinawensis Sleurs, 1993
Rissoina onobiformis Rolán & Luque, 2000
Rissoina orbignyi accepted as *Rissoina dorbignyi* A. Adams, 1851
Rissoina orbignyi var. *pachylabris* G. Nevill, 1884 accepted as *Rissoina dorbignyi* A. Adams, 1851
Rissoina orbignyi var. *submarginata* G. Nevill, 1884 accepted as *Rissoina dorbignyi* A. Adams, 1851
Rissoina orbignyi var. *subspirata* G. Nevill, 1884 accepted as *Rissoina dorbignyi* A. Adams, 1851
Rissoina oryza Garrett, 1873
Rissoina paschalis Melvill & Standen, 1901 accepted as *Stosicia paschalis* (Melvill & Standen, 1901)
Rissoina peninsularis Bartsch, 1915
Rissoina percrassa G. Nevill & H. Nevill, 1874
Rissoina plicata A. Adams, 1851
Rissoina polytropa Hedley, 1899 accepted as *Stosicia mirabilis* (Weinkauff, 1881)
Rissoina polytropa augerea Laseron, 1956 accepted as *Stosicia mirabilis* (Weinkauff, 1881)
Rissoina porteri Baker, Hanna & Strong, 1930 accepted as *Schwartziella ephamilla* (Watson, 1886)
Rissoina powelli Finlay, 1930
Rissoina preposterum (Berry, 1958) accepted as *Zebina preposterum* (Berry, 1958)

Rissoina princeps (C. B. Adams, 1850)
Rissoina privati (de Folin, 1867)
Rissoina pseudoescalaris Melvill & Standen, 1901 accepted as *Opalia pseudoescalaris* (Melvill & Standen, 1901)
Rissoina pulchra (C.B. Adams, 1850)
Rissoina punctostriata (Talavera, 1975)
Rissoina pusilla (Brocchi, 1814) †
Rissoina redferni Espinosa & Ortea, 2002
Rissoina rex Pilsbry, 1904 accepted as *Mormula rex* (Pilsbry, 1904)
Rissoina rissoi Weinkauff, 1885 ex Audouin
Rissoina royana (Iredale, 1924)
Rissoina sagraiana d'Orbigny, 1842
Rissoina samoensis Weinkauff, 1881 accepted as *Stosicia abnormis* (G. Nevill & H. Nevill, 1875)
Rissoina scalariformis (C.B. Adams, 1852)
Rissoina schubelae Sleurs & Preece, 1994
Rissoina sequenziana Issel, 1869
Rissoina semisculpta Tate, 1899 accepted as *Rissoina antoni* Schwartz, 1860
Rissoina sigmifer Mörch, 1876
Rissoina signae Bartsch, 1915
Rissoina sismondiana (Issel, 1869)
Rissoina smithi Angas, 1867
Rissoina spirata Sowerby G.B. I, 1820
Rissoina stephensae Baker, Hanna & Strong, 1930
Rissoina striata (Quoy & Gaimard, 1833)
Rissoina striatocostata (d'Orbigny, 1842)
Rissoina stricta Menke, 1850
Rissoina striolata A. Adams, 1851
Rissoina striosa (C. B. Adams, 1850)
Rissoina supracostata Garrett, 1873 accepted as *Rissoina artensis* Montrouzier, 1872
Rissoina taiwanica Chang & Wu, 2004
Rissoina tenuistrata Pease, 1868
Rissoina thatcheria Chang & Wu, 2004
Rissoina thaumasia Melvill & Standen, 1898 accepted as *Rissoina antoni* Schwartz, 1860
Rissoina tomlini Bavay, 1917
Rissoina tongunense Wen-Der Chen, 2008
Rissoina townsendi Bartsch, 1915
Rissoina trochlearis Gould, 1861 accepted as *Stosicia annulata* (Dunker, 1859)
Rissoina trochlearis var. *minor* G. Nevill, 1884 accepted as *Stosicia annulata* (Dunker, 1859)
Rissoina turricula Pease, 1861 accepted as *Rissoina costata* A. Adams, 1851
Rissoina turricula engleri Rehder, 1980
Rissoina vanderspoeli Jong & Coomans, 1988
Rissoina viaderi Tomlin, 1939 accepted as *Pyramidelloides angustus* (Hedley, 1898)
Rissoina villica Gould, 1861 accepted as *Rissoina antoni* Schwartz, 1860
Rissoina walkeri E.A. Smith, 1893
Rissoina woodwardii Carpenter, 1857 accepted as *Schwartziella woodwardii* (Carpenter, 1857)
Rissoina zeltneri (de Folin, 1867)
Rissoinae
Rissoininae
Rissola accepted as *Ophidion* Linnaeus, 1758
Rissola marginata (DeKay, 1842) accepted as *Ophidion marginatum* DeKay, 1842
Rissolina Gould, 1861
Rissolina humpa Chang & Wu, 2004
Rissolina laseroni Chang & Wu, 2004
Rissolina ovalis Chang & Wu, 2004
Rissomangelia Monterosato, 1917 accepted as *Mangelia* Risso, 1826
Rissomangelia abyssicola (Reeve, 1844)
Rissomangelia compacta (Nordsieck, 1977)
Rissooidea
Rissopsetia Dell, 1956
Rissopsetia hummelincki Faber, 1984
Rissopsetia islandica Warén, 1989
Rissopsetia maccoyi (Tenison-Woods, 1876)
Rissopsetia maoria Dell, 1956

Rissopsis Garrett, 1873
Rissopsis expansa Powell, 1930 accepted as *Aclis expansa* (Powell, 1930)
Rissopsis ligula Kilburn, 1975
Rissopsis tuba Kilburn, 1977
Rissopsis typica Garrett, 1873
Rissostomia G.O. Sars, 1878 accepted as *Rissoa* Fremenville in Desmarest,
1814

Pages: < · 1 2 3 **4** 5 · >

Website and databases developed and hosted by [VLIZ](#) · Page generated 2012-01-15 · contact: info@marinespecies.org

WoRMS Taxon list

405 matching records, showing records 401-405.

Rissostomia G.O. Sars, 1878 accepted as *Rissoa* Fremenville in Desmarest, 1814

Rissostomia membranacea (J. Adams, 1800) accepted as *Rissoa membranacea* (J. Adams, 1800)

Rissostomia membranacea cornea (Lovén, 1846) accepted as *Rissoa membranacea* (J. Adams, 1800)

Rissostomia membranacea labiosa (Montagu, 1803) accepted as *Rissoa membranacea* (J. Adams, 1800)

Rissostomia membranacea octona auct. non Linnaeus, 1767 accepted as *Rissoa membranacea* (J. Adams, 1800)

Pages: < · 1 2 3 4 **5**